	GX series	EX series	MX series	M900 series*
Fabric weight**	Foundation / Light ~Heavy weight	Foundation / Light \sim Extra heavy weight	Light~Heavy weight	Light~Heavy weight
Lubrication	Grease and automatic	Fully-automatic	Fully-automatic	Fully-automatic
Maximum speed**	7,000 sti/min	8,500 sti/min	8,000 sti/min	7,000 sti/min
Series model	GX32 Safety stitch GX52 Overedger	EX22 Double chainstitch EX32 Safety stitch EX52 Overedger EX54 (with condensed stitch capability)	MX32 Safety stitch MX52 Overedger	M922 Double chainstitch M932 Safety stitch M952 Overedger
Devices**	KS / KH / EH / AT / TK / PL / MU etc	KS / KH / EH / AT / TK / PL / MU / BF / BT / BL / KL etc	KS / KH / TK / MU / BT	KS / KH / TK / MU / BT

* We would sell this M900 series in limited areas only.

Please confirm to your nearest PEGASUS' office or nearest dealer whether or not they carry this series.

** Depends on subclasses and sewing condition



	GW series	W2600P series	W600P series	W3600P series	W600PV series*
Fabric weight**	Foundation / Light ~Medium weight	Foundation / Light ~Medium weight	Foundation / Light ~Medium weight	Foundation / Light ~Medium weight	Foundation / Light \sim Medium weight
Lubricatio n	Grease and automatic (Dry-head type)	Fully-automatic (Oil barrier type)	Fully-automatic (Oil barrier type)	Fully-automatic (Oil barrier type)	Fully-automatic (Oil barrier type)
Maximum speed ^{**}	5,500 sti/min	7,000 sti/min	6,000 sti/min	6,000 sti/min	5,500 sti/min
Subclasses	-01, -03, -08	-01, -02, -03, -05, -08, -33, -34, -35	-01, -02, -03, -05, -08, -30, -32, -33, -34, -35, -51, -81	-01, -03, -05, -08, -32, -33, -35	-01, -33, -35
Devices**	UT / PL / RP	UT / SL / MS / AT / TK / FT / HG / MD / MU / RP	UT / SL / PL / MS / AT / TK / FT / HG / MD / MU / RP	UT / PL / FT / HG / MD / MU / RP	UT / RP / FT / HG / PL

* We would sell this W600PV series in limited areas only. Please confirm to your nearest PEGASUS' office or nearest dealer whether or not they carry this series.

** Depends on subclasses and sewing condition



< Comparison chart > Interlock (Flatbed)

	W500P series	W3500P series	W500PV series*
Fabric weight**	Foundation / Light~ Medium weight	Foundation / Light~Heavy weight	Foundation / Light~ Medium weight
Lubrication	Fully-automatic (Oil barrier type)	Fully-automatic (Oil barrier type)	Fully-automatic (Oil barrier type)
Maximum speed ^{**}	6,000 sti/min	6,000 sti/min	6,000 sti/min
Subclasses	-01, -02, -03, -05, -82, -84	-01, -02, -05, -21, -23	-01, -02, -05
Devices**	AT / TK / KH / UT / FT / MU / MD / PL / LC / PP	AT / TK / KH / UT / FT / MU / MD / PP	TK / UT / FT / MU / MD

* We would sell this W500PV series in limited areas only. Please confirm to your nearest PEGASUS' office or nearest dealer whether or not they carry this series.

** Depends on subclasses and sewing condition

